

HEAVY-DUTY TRUCKS MAINTENANCE MANUAL

Models: FLA COE

FLB COE

FLC 112 Conventional

FLD Conventional

FLL COE

Page Description

For an example of a Heavy-Duty Trucks Maintenance Manual page, see Fig. 1.




Fig. 1, Example of a Heavy-Duty Trucks Maintenance Manual Page

Maintenance Manual Contents

| Group No. | Group Title |
|-----------|---------------------------------------|
| | General Information |
| | Engine |
| | Air Intake |
| | Air Compressor |
| | Alternators and Starters |
| | Engine Cooling/Radiator |
| 25 | Clutch |
| 26 | Transmission |
| 31 | Frame and Frame Components |
| | Suspension |
| 33 | Front Axle |
| | Rear Axle |
| 40 | Wheels and Tires |
| 41 | Driveline |
| | Brakes |
| | Steering |
| | Fuel |
| | Exhaust |
| | Electrical, Instruments, and Controls |
| | |
| | Doors |
| | Heater and Air Conditioner |

00

Index, Alphabetical

| Title of Maintenance Operation (MOP) | MOP Number |
|-------------------------------------------------|------------|
| COE Cab Tilting, FLA/FLB | |
| Determining Scheduled Maintenance Intervals | |
| Initial Maintenance (IM) Operations | |
| Lubrication and Fluid Level Check | |
| M1 Maintenance Interval Operations Table: 00-07 | |
| M2 Maintenance Interval Operations Table: 00-08 | |
| M3 Maintenance Interval Operations Table | |
| M4 Maintenance Interval Operations Table: 00-10 | |
| Maintenance Operation Sets Table | |
| Maintenance Service Table | |
| Metric/U.S. Customary Conversion Tables | |
| Noise Emission Controls Maintenance | |
| Torque Specifications Tables | |
| Vehicle Maintenance Schedule Tables | |
| Verification of Inspections Log | |

Determining Scheduled Maintenance Intervals: 00-01

Determining Scheduled Maintenance Intervals

Performing regular maintenance on your Freightliner vehicle will help ensure that your vehicle delivers safe reliable service and optimum performance for years to come. Failure to follow a regular maintenance program can result in inefficient operation and unscheduled down time.

To determine the correct maintenance intervals for your vehicle you must first determine the type of service or conditions in which the vehicle will operate. Generally, most vehicles operate under conditions that fall within one of the three types of service described. Before placing your new vehicle in service, determine the type of service (Service Schedule I, II, or III) that applies to the intended use of the vehicle. After determining the vehicle's type of service, refer to the Maintenance Service Table or the Vehicle Maintenance Schedule Tables, to determine how often maintenance should be performed.

When the vehicle reaches the distance given for a maintenance interval, see the applicable Maintenance Interval Operations Table for a list of the maintenance operations to be performed at that maintenance interval. Use the maintenance operation numbers to find detailed instructions in the manual on each operation.

Types of Service

Service Schedule I (severe service) applies to vehicles that annually travel less than 6000 miles (10 000 kilometers) *or* that operate under severe conditions. Examples of severe service, Schedule I usage include: operation on extremely poor roads or where there is heavy dust accumulation; constant exposure to extreme hot, cold, salt-air, or other extreme climates; frequent short-distance travel; construction-site operation; city operation (fire truck); or farm operation.

Service Schedule II (short-haul transport) applies to vehicles that annually travel less than 60,000 miles (100 000 kilometers) and operate under normal conditions. Examples of Schedule II usage are: operation primarily in cities and densely populated areas; local transport with infrequent freeway travel; or high percentage of stop-and-go travel.

Service Schedule III (long-haul transport) is for vehicles that annually travel *more than* 60,000 miles

(100 000 kilometers) with minimal city or stop-and-go operation. Examples of Schedule III usage are: regional delivery that is mostly freeway miles; interstate transport; or any road operation with high annual mileage.

NOTE: Maintenance instructions in this manual are based on average vehicle use and normal operating conditions. Unusual vehicle operating conditions may require service at more frequent intervals.

Maintenance Service Table: 00-02

Maintenance Service Table

| Service Schedule | Maintananaa Intarval Operation | Maintenance Intervals | | | |
|-----------------------------------------------------------|--------------------------------|-----------------------|------------------|---------|-------|
| Service Schedule | Maintenance Interval Operation | Frequency | Miles | km | Hours |
| | Initial Maintenance (IM) | first | 1000 | 1600 | 100 |
| Schedule I* | Maintenance 1 (M1) | every | 1000 | 1600 | 100 |
| (Severe Service) vehicles that annually travel less | Maintenance 2 (M2) | every | 5000 | 8000 | 500 |
| than 6000 miles (10 000 km) | Maintenance 3 (M3) | every | 10,000 | 16 000 | 1000 |
| | Maintenance 4 (M4) | every | 20,000 | 32 000 | 2000 |
| | Initial Maintenance (IM) | first | 9000 to 10,000 | 15 000 | |
| Schedule II [†] | Maintenance 1 (M1) | every | 9000 to 10,000 | 15 000 | |
| (Short-Haul Transport) vehicles that annually travel less | Maintenance 2 (M2) | every | 37,000 to 38,000 | 60 000 | _ |
| than 60,000 miles (100 000 km) | Maintenance 3 (M3) | every | 75,000 | 120 000 | |
| | Maintenance 4 (M4) | every | 150,000 | 240 000 | |
| | Initial Maintenance (IM) | first | 12,500 | 20 000 | |
| Schedule III [†] | Maintenance 1 (M1) | every | 12,500 | 20 000 | |
| (Long-Haul Transport) vehicles that annually travel over | Maintenance 2 (M2) | every | 50,000 | 80 000 | _ |
| 60,000 miles (100 000 km) | Maintenance 3 (M3) | every | 100,000 | 160 000 | |
| | Maintenance 4 (M4) | every | 300,000 | 480 000 | |

^{*} For Schedule I (severe service) vehicles equipped with an hourmeter, use maintenance intervals based on hours of operation rather than distance traveled.

[†] Use Schedule I (severe service) maintenance intervals for vehicles that operate under severe conditions, such as extremely poor roads, heavy dust accumulation, extreme climate, frequent short distance travel, construction-site operation, city operation (garbage truck), or farm operation.

Vehicle Maintenance Schedule Tables: 00-03

1st through 20th Maintenance for Service Schedule I Vehicles

| Maint. | Required Maintenance Operation | Service Date | Service I | | |
|--------|--------------------------------|--------------|-----------|--------|-------|
| No. | Interval | Service Date | Miles | km | Hours |
| 1st | Initial Maintenance (IM)/M1 | | 1000 | 1600 | 100 |
| 2nd | M1 | | 2000 | 3200 | 200 |
| 3rd | M1 | | 3000 | 4800 | 300 |
| 4th | M1 | | 4000 | 6400 | 400 |
| 5th | M1 and M2 | | 5000 | 8000 | 500 |
| 6th | M1 | | 6000 | 9600 | 600 |
| 7th | M1 | | 7000 | 11 200 | 700 |
| 8th | M1 | | 8000 | 12 800 | 800 |
| 9th | M1 | | 9000 | 14 400 | 900 |
| 10th | M1, M2, and M3 | | 10,000 | 16 000 | 1000 |
| 11th | M1 | | 11,000 | 17 600 | 1100 |
| 12th | M1 | | 12,000 | 19 200 | 1200 |
| 13th | M1 | | 13,000 | 20 800 | 1300 |
| 14th | M1 | | 14,000 | 22 400 | 1400 |
| 15th | M1 and M2 | | 15,000 | 24 000 | 1500 |
| 16th | M1 | | 16,000 | 25 600 | 1600 |
| 17th | M1 | | 17,000 | 27 200 | 1700 |
| 18th | M1 | | 18,000 | 28 800 | 1800 |
| 19th | M1 | | 19,000 | 30 400 | 1900 |
| 20th | M1, M2, M3, and M4 | | 20,000 | 32 000 | 2000 |

21st through 40th Maintenance for Service Schedule I Vehicles

| Maint. | Required Maintenance Operation | Service Date | | Service I | |
|--------|--------------------------------|--------------|--------|-----------|-------|
| No. | Interval | Service Date | Miles | km | Hours |
| 21st | M1 | | 21,000 | 33 600 | 2100 |
| 22nd | M1 | | 22,000 | 35 200 | 2200 |
| 23rd | M1 | | 23,000 | 36 800 | 2300 |
| 24th | M1 | | 24,000 | 38 400 | 2400 |
| 25th | M1 and M2 | | 25,000 | 40 000 | 2500 |
| 26th | M1 | | 26,000 | 41 600 | 2600 |
| 27th | M1 | | 27,000 | 43 200 | 2700 |
| 28th | M1 | | 28,000 | 44 800 | 2800 |
| 29th | M1 | | 29,000 | 46 400 | 2900 |
| 30th | M1, M2, and M3 | | 30,000 | 48 000 | 3000 |
| 31st | M1 | | 31,000 | 49 600 | 3100 |

Vehicle Maintenance Schedule Tables: 00-03

| Maint. | Required Maintenance Operation | | | Service I | |
|--------|--------------------------------|--------------|--------|-----------|-------|
| No. | Interval | Service Date | Miles | km | Hours |
| 32nd | M1 | | 32,000 | 51 200 | 3200 |
| 33rd | M1 | | 33,000 | 52 800 | 3300 |
| 34th | M1 | | 34,000 | 54 400 | 3400 |
| 35th | M1 and M2 | | 35,000 | 56 000 | 3500 |
| 36th | M1 | | 36,000 | 57 600 | 3600 |
| 37th | M1 | | 37,000 | 59 200 | 3700 |
| 38th | M1 | | 38,000 | 60 800 | 3800 |
| 39th | M1 | | 39,000 | 62 400 | 3900 |
| 40th | M1, M2, M3, and M4 | | 40,000 | 64 000 | 4000 |

41st through 60th Maintenance for Service Schedule I Vehicles

| Maint. | Required Maintenance Operation | Service Date | Service I | | |
|--------|--------------------------------|--------------|-----------|--------|-------|
| No. | Interval | Service Date | Miles | km | Hours |
| 41st | M1 | | 41,000 | 65 600 | 4100 |
| 42nd | M1 | | 42,000 | 67 200 | 4200 |
| 43rd | M1 | | 43,000 | 68 800 | 4300 |
| 44th | M1 | | 44,000 | 70 400 | 4400 |
| 45th | M1 and M2 | | 45,000 | 72 000 | 4500 |
| 46th | M1 | | 46,000 | 73 600 | 4600 |
| 47th | M1 | | 47,000 | 75 200 | 4700 |
| 48th | M1 | | 48,000 | 76 800 | 4800 |
| 49th | M1 | | 49,000 | 78 400 | 4900 |
| 50th | M1, M2, and M3 | | 50,000 | 80 000 | 5000 |
| 51st | M1 | | 51,000 | 82 000 | 5100 |
| 52nd | M1 | | 52,000 | 83 700 | 5200 |
| 53rd | M1 | | 53,000 | 85 300 | 5300 |
| 54th | M1 | | 54,000 | 86 900 | 5400 |
| 55th | M1 and M2 | | 55,000 | 88 500 | 5500 |
| 56th | M1 | | 56,000 | 90 100 | 5600 |
| 57th | M1 | | 57,000 | 91 700 | 5700 |
| 58th | M1 | | 58,000 | 93 300 | 5800 |
| 59th | M1 | | 59,000 | 94 900 | 5900 |
| 60th | M1, M2, M3, and M4 | | 60,000 | 96 500 | 6000 |

Vehicle Maintenance Schedule Tables: 00-03

61st through 80th Maintenance for Service Schedule I Vehicles

| Maint. | Required Maintenance Operation | Samileo Deta | Service I | | |
|--------|--------------------------------|--------------|-----------|---------|-------|
| No. | Interval | Service Date | Miles | km | Hours |
| 61st | M1 | | 61,000 | 98 200 | 6100 |
| 62nd | M1 | | 62,000 | 99 800 | 6200 |
| 63rd | M1 | | 63,000 | 101 400 | 6300 |
| 64th | M1 | | 64,000 | 103 000 | 6400 |
| 65th | M1 and M2 | | 65,000 | 104 600 | 6500 |
| 66th | M1 | | 66,000 | 106 200 | 6600 |
| 67th | M1 | | 67,000 | 107 800 | 6700 |
| 68th | M1 | | 68,000 | 109 400 | 6800 |
| 69th | M1 | | 69,000 | 111 000 | 6900 |
| 70th | M1, M2, and M3 | | 70,000 | 112 700 | 7000 |
| 71st | M1 | | 71,000 | 114 300 | 7100 |
| 72nd | M1 | | 72,000 | 115 900 | 7200 |
| 73rd | M1 | | 73,000 | 117 500 | 7300 |
| 74th | M1 | | 74,000 | 119 100 | 7400 |
| 75th | M1 and M2 | | 75,000 | 120 700 | 7500 |
| 76th | M1 | | 76,000 | 122 300 | 7600 |
| 77th | M1 | | 77,000 | 123 900 | 7700 |
| 78th | M1 | | 78,000 | 125 500 | 7800 |
| 79th | M1 | | 79,000 | 127 100 | 7900 |
| 80th | M1, M2, M3, and M4 | | 80,000 | 128 700 | 8000 |

81st through 100th Maintenance for Service Schedule I Vehicles

| Maint. | Required Maintenance Operation | Service Date | | Service I | | |
|--------|--------------------------------|--------------|--------|-----------|-------|--|
| No. | Interval | Service Date | Miles | km | Hours | |
| 81st | M1 | | 81,000 | 130 400 | 8100 | |
| 82nd | M1 | | 82,000 | 132 000 | 8200 | |
| 83rd | M1 | | 83,000 | 134 000 | 8300 | |
| 84th | M1 | | 84,000 | 135 200 | 8400 | |
| 85th | M1 and M2 | | 85,000 | 137 000 | 8500 | |
| 86th | M1 | | 86,000 | 138 400 | 8600 | |
| 87th | M1 | | 87,000 | 140 000 | 8700 | |
| 88th | M1 | | 88,000 | 141 600 | 8800 | |
| 89th | M1 | | 89,000 | 143 200 | 8900 | |
| 90th | M1, M2, and M3 | | 90,000 | 144 800 | 9000 | |
| 91st | M1 | | 91,000 | 146 500 | 9100 | |

Vehicle Maintenance Schedule Tables: 00-03

| Maint. | Required Maintenance Operation | Service Date | | Service I | |
|--------|--------------------------------|--------------|---------|-----------|--------|
| No. | Interval | Service Date | Miles | km | Hours |
| 92nd | M1 | | 92,000 | 148 100 | 9200 |
| 93rd | M1 | | 93,000 | 150 000 | 9300 |
| 94th | M1 | | 94,000 | 151 300 | 9400 |
| 95th | M1 and M2 | | 95,000 | 153 000 | 9500 |
| 96th | M1 | | 96,000 | 155 000 | 9600 |
| 97th | M1 | | 97,000 | 156 100 | 9700 |
| 98th | M1 | | 98,000 | 157 700 | 9800 |
| 99th | M1 | | 99,000 | 159 300 | 9900 |
| 100th | M1, M2, M3, and M4 | | 100,000 | 160 900 | 10 000 |

1st through 16th Maintenance for Service Schedule II Vehicles

| Maint. No. | Required Maintenance Operation Interval | Service Date | Miles | km |
|---------------|-----------------------------------------|--------------|---------|---------|
| 1st | Initial Maintenance (IM)/M1 | | 10,000 | 16 000 |
| 2nd | M1 | | 19,000 | 30 000 |
| 3rd | M1 | | 28,000 | 45 000 |
| 4th | M1 and M2 | | 38,000 | 60 000 |
| 5th | M1 | | 47,000 | 75 000 |
| 6th | M1 | | 56,000 | 90 000 |
| 7th | M1 | | 66,000 | 105 000 |
| 8th | M1, M2, and M3 | | 75,000 | 120 000 |
| 9th | M1 | | 84,000 | 135 000 |
| 10th | M1 | | 94,000 | 150 000 |
| 11th | M1 | | 103,000 | 165 000 |
| 12th | M1 and M2 | | 112,000 | 180 000 |
| 13th | M1 | | 122,000 | 195 000 |
| 14th | M1 | | 131,000 | 210 000 |
| 15th | M1 | | 141,000 | 225 000 |
| 16th | M1, M2, M3, and M4 | | 150,000 | 240 000 |

1st through 24th Maintenance for Service Schedule III Vehicles

| | Vehicle Maintenance Schedule for Service Schedule III | | | | | | |
|------------------------------------------------------------------------------------------|-------------------------------------------------------|--|--------|--------|--|--|--|
| Maint. No. Required Maintenance Operation Interval Service Date Miles km | | | | | | | |
| 1st | Initial Maintenance (IM)/M1 | | 12,500 | 20 000 | | | |
| 2nd | M1 | | 25,000 | 40 000 | | | |
| 3rd | M1 | | 37,000 | 60 000 | | | |

Vehicle Maintenance Schedule Tables: 00-03

| Vehicle Maintenance Schedule for Service Schedule III | | | | | | |
|-------------------------------------------------------|-----------------------------------------|--------------|---------|---------|--|--|
| Maint. No. | Required Maintenance Operation Interval | Service Date | Miles | km | | |
| 4th | M1 and M2 | | 50,000 | 80 000 | | |
| 5th | M1 | | 62,000 | 100 000 | | |
| 6th | M1 | | 75,000 | 120 000 | | |
| 7th | M1 | | 87,000 | 140 000 | | |
| 8th | M1, M2, and M3 | | 100,000 | 160 000 | | |
| 9th | M1 | | 112,000 | 180 000 | | |
| 10th | M1 | | 125,000 | 200 000 | | |
| 11th | M1 | | 137,000 | 220 000 | | |
| 12th | M1 and M2 | | 150,000 | 240 000 | | |
| 13th | M1 | | 162,000 | 260 000 | | |
| 14th | M1 | | 175,000 | 280 000 | | |
| 15th | M1 | | 187,000 | 300 000 | | |
| 16th | M1, M2, and M3 | | 200,000 | 320 000 | | |
| 17th | M1 | | 212,000 | 340 000 | | |
| 18th | M1 | | 225,000 | 360 000 | | |
| 19th | M1 | | 237,000 | 380 000 | | |
| 20th | M1 and M2 | | 250,000 | 400 000 | | |
| 21st | M1 | | 262,000 | 420 000 | | |
| 22nd | M1 | | 275,000 | 440 000 | | |
| 23rd | M1 | | 287,000 | 460 000 | | |
| 24th | M1, M2, M3, and M4 | | 300,000 | 480 000 | | |

Lubrication and Fluid Level Check: 00-04

Table 1 summarizes all operations that must be performed to complete Lubrication and Fluid Level Check Operation 00–04 called for as an M1 maintenance interval for Service Schedule I, II, and III vehicles.

Maintenance operation numbers given in the table are reference numbers used to help you find detailed instructions in the manual on the lubrication or fluid check.

| Maintenance Operation 00-04, Lubrication and Fluid Level Check for Service at M1 | | |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------|-------|
| Maintenance Operation No. | Operation Description | Check |
| 25–01 | Clutch Release Bearing Lubricating | |
| 25–02 | Clutch Release Cross-Shaft Lubricating | |
| 25–03 | Clutch Linkage Components Lubricating | |
| 26–01 | Shift Control Telescoping Tubes Lubricating and Inspecting, FLA/FLB | |
| 26–02 | Shift Control Latch Lubricating and Cylinder Inspecting, FLA/FLB | |
| 26–04 | Selection Lever and Pivot Rod Ball Stud Lubricating, FLA/FLB | |
| 26–08 | Transmission Oil Level Checking and Breather Checking | |
| 31–02 | Fifth Wheel Lubricating | |
| 31–05 | Trailer Electrical Connector Lubricating | |
| 32–02 | Suspension Lubricating | |
| 33–01 | Knuckle Pin Lubricating | |
| 33–02 | Tie-Rod End Inspecting and Lubricating | |
| 35–01 | Axle Breather and Lubricant Level Checking | |
| 41–02 | Driveline Lubricating | |
| 42–03 | Manual/Automatic Slack Adjuster Lubricating and Checking (All Models) | |
| 46–01 | Steering Driveline Lubricating | |
| 46–02 | Ross Manual Steering Gear Lubricant Checking, Model 503 | |
| 46–04 | Drag Link and Power Steering Cylinder Lubricating | |
| 46–05 | Power Steering Reservoir Fluid Level Checking | |
| 46–08 | Ross Power Steering Gear Lubricating, TAS Series | |
| 46–09 | Sheppard Power Steering Gear Bearing Cap Lubricating | |
| 60–01 | Cab-Tilt System Checking, FLA/FLB | |
| 72–01 | Door Seal, Door Latch, and Door Hinge Lubricating | |

Table 1, Maintenance Operation 00-04, Lubrication and Fluid Level Check for Service Schedules I, II, and III

Maintenance Operation Sets Table: 00-05

IMPORTANT: At each Maintenance Operation Set, in addition to the maintenance operations listed in this table, perform all daily, weekly, and monthly maintenance operations listed in the "Pretrip and Post-Trip Inspections and Maintenance" chapter of the vehicle driver's manual.

NOTE: Maintenance operations appearing in italics in this table are for noise emission control components. Numbers in this table are reference numbers matching those in the text of this manual.

Maintenance Operation Sets for Groups 00 through 83

| Maint. Oper. | Operation Description | Operation Description Maintenance Interva | | | | rval |
|--------------|-------------------------------------------------------------------------------------------|-------------------------------------------|----|----|----|------|
| No. | Operation Description | IM | M1 | M2 | М3 | M4 |
| 01–01 | Engine Rear-Support Assembly Checking | | | | • | • |
| 01–02 | Engine Noise Panel Inspecting | | | | • | • |
| 01–03 | Jacobs Engine Brake Wiring Inspecting | | | • | • | • |
| 01–04 | Engine Drive Belt Inspecting | | | | • | • |
| 09–01 | Air Cleaner Element Inspecting and Replacing | | | | • | • |
| 13–01 | Bendix Air Compressor Inspecting | • | • | • | • | • |
| 15–01 | Alternator, Battery, and Starter Checking | • | | | • | • |
| 20–01 | Radiator Cap Checking | | | • | • | • |
| 20-02 | Radiator Pressure Flushing and Coolant Changing | | | | | • |
| 20-03 | Fan Drive and Clutch Checking | | | • | • | • |
| 25–01 | Clutch Release Bearing Lubricating | • | • | • | • | • |
| 25-02 | Clutch Release Cross-Shaft Lubricating | • | • | • | • | • |
| 25-03 | Clutch Linkage Components Lubricating | • | • | • | • | • |
| 26-01 | Shift Control Telescoping Tubes Lubricating and Inspecting, FLA/FLB | • | • | • | • | • |
| 26-02 | Shift Control Latch Lubricating and Cylinder Inspecting, FLA/FLB | • | • | • | • | • |
| 26-03 | Shift Lever Pivot Yokes Inspecting, FLA/FLB | | | | • | • |
| 26-04 | Selection Lever and Pivot Rod Ball Stud Lubricating, FLA/FLB | • | • | • | • | • |
| 26-05 | Allison Transmission Fluid and Filter Changing | | | | | • |
| 26–06 | Manual Transmission Magnetic Plug Cleaning, Oil Changing, and Oil Filter Element Changing | • | | • | • | • |
| 26-07 | Transmission Air Filter/Regulator Checking, and Cleaning or Replacing | | | • | • | • |
| 26-08 | Transmission Oil Level Checking and Breather Checking | • | • | | | |
| 31–01 | Fifth Wheel Inspecting | • | • | • | • | • |
| 31–02 | Fifth Wheel Lubricating | • | • | • | • | • |
| 31–03 | Frame Fastener Torque Checking | • | | | | |
| 31–04 | Holland Fifth Wheel Sliding Mechanism Inspecting | | | • | • | • |
| 31–05 | Trailer Electrical Connector Lubricating | • | • | • | • | • |
| 32–01 | Suspension Inspecting | • | • | • | • | • |
| 32–02 | Suspension Lubricating | • | • | • | • | • |
| 32-03 | Suspension U-bolt Torque Checking | • | | | • | • |

Maintenance Operation Sets Table: 00–05

| Maint. Oper. | Operation Description | Maintenance In | | Inte | rval | |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----|------|------|----|
| No. | operation Decempation | IM | M1 | M2 | М3 | M4 |
| 33–01 | Knuckle Pin Lubricating | • | • | • | • | • |
| 33–02 | Tie-Rod End Inspecting and Lubricating | • | • | • | • | • |
| 33-03 | All-Axle Alignment Checking | • | | | | |
| 35–01 | Axle Breather and Lubricant Level Checking | | • | • | • | • |
| 35–02 | Axle Lubricant Changing, Oil Filter Replacing and Magnetic Strainer Cleaning | • | | | • | • |
| 40-01 | Wheel Nut and Rim Nut Checking | | | • | • | • |
| 41–01 | Driveline Inspecting | • | • | • | • | • |
| 41-02 | Driveline Lubricating | • | • | • | • | • |
| 42-01 | Brake Adjusting—Cam Brakes with Manual Slack Adjusters | • | • | • | • | • |
| 42-02 | Camshaft Bracket Bushing Lubricating | | | • | • | • |
| 42-03 | Manual/Automatic Slack Adjuster Lubricating and Checking (All Models) | • | • | • | • | • |
| 42-04 | Meritor Automatic Slack Adjuster Inspecting | | | • | • | • |
| 42-05 | Wedge Brake Checking | • | • | • | • | • |
| 42-06 | Wedge Brake Inspecting and Lubricating | | | | • | • |
| 42-07 | Alcohol Evaporator Checking | | | • | • | • |
| 42-08 | Bendix Alcohol Evaporator Cleaning | | | • | • | • |
| 42-09 | Bendix Alcohol Evaporator Gasket Replacing | | | | • | • |
| 42–10 | Bendix Air Dryer Checking (AD-2, AD-4, or AD-9) | | | | • | • |
| 42–11 | Bendix Air Dryer or Anchorlok Aftercooler Inspecting (Bendix AD-2, AD-4, AD-9, or Anchorlok) | • | • | • | • | • |
| 42–12 | Bendix Air Dryer Desiccant Replacing (AD-2) | | | | | • |
| 42–13 | Bendix Air Dryer Desiccant Replacing (AD-4 or AD-9) | | | | | • |
| 42–14 | CR Brakemaster Air Dryer Cleaning (Model 62 or 68) | • | • | • | • | • |
| 42–15 | Anchorlok Aftercooler Automatic Ejector Valve Clearing | | | • | • | • |
| 42–16 | Bendix Air Brake Valve Operation Checking (BP-R1 and E-12) | | | | • | • |
| 42–17 | Bendix Air Brake Valve Disassembly, Cleaning, and Inspecting (BP-1, Double Check Valve, E-6, PP-7, QR-1, R-6, R-14, SR-1, ST-3, TC-7, TP-5, TR-3) | | | | • | • |
| 42–18 | Bendix Air Brake Valve Disassembly, Cleaning, Inspecting, and Lubricating (DV-2, PP-3, and Single Check Valve) | | | • | • | • |
| 42–19 | Bendix Air Brake Valve Inspecting and Testing (BP-1, BP-R1, LQ-5, PP-7, R-14, and TC-7) | | | | • | • |
| 42–20 | Bendix Foot Brake Valve Actuator Lubricating (E-6 or E-12) and Leak-Testing (E-12) | | | | • | • |
| 42–21 | Sealco Moisture Ejection Valve Operation- and Leak-Testing (Model 6300) | | | • | • | • |
| 42–22 | Midland Quick Release and Flipper Valve Checking | • | • | • | • | • |
| 42-23 | Meritor WABCO System Saver 1000 Air Dryer Desiccant Replacing | | | | | • |
| 42–24 | Brake Inspection | • | • | • | • | • |
| 46-01 | Steering Driveline Lubricating | • | • | • | • | • |

Maintenance Operation Sets Table: 00–05

| Maint. Oper. | Operation Recognition | Maintenance Inte | | Inte | rval | |
|--------------|----------------------------------------------------------|------------------|----|------|------|----|
| No. | Operation Description | IM | M1 | M2 | М3 | M4 |
| 46–02 | Ross Manual Steering Gear Lubricant Checking, Model 503 | • | • | • | | |
| 46–03 | Ross Manual Steering Gear Lubricant Changing, Model 503 | | | | • | • |
| 46–04 | Drag Link and Power Steering Cylinder Lubricating | • | • | • | • | • |
| 46–05 | Power Steering Reservoir Fluid Level Checking | • | • | | | |
| 46–06 | Power Steering Reservoir Fluid and Filter Changing | | | • | • | • |
| 46–07 | Steering Driveline Deck Bearing Lubricating, FLA/FLB | | | • | • | • |
| 46-08 | Ross Power Steering Gear Lubricating, TAS Series | • | • | • | • | • |
| 46-09 | Sheppard Power Steering Gear Bearing Cap Lubricating | • | • | • | • | • |
| 47–01 | Fuel Tank Vent Checking | | | • | • | • |
| 47–02 | Fuel Tank Band Nut Tightening, FLA, FLB, and FLD | • | • | • | • | • |
| 47–03 | Fuel Separator Sight Bowl Cleaning and Element Replacing | | | • | • | • |
| 49–01 | Exhaust System Inspecting | • | • | • | • | • |
| 54–01 | Electrical System Checking | • | | | • | • |
| 54-02 | Speedometer/Tachometer Cable Lubricating | | | | • | • |
| 60–01 | Cab-Tilt System Checking, FLA/FLB | • | • | • | • | • |
| 60–02 | Cab-Suspension Spring Center-Bolt Torque Checking, FLC | | | • | • | • |
| 60-03 | Cab Latch Checking, FLA/FLB | • | • | • | • | • |
| 72–01 | Door Seal, Door Latch, and Door Hinge Lubricating | • | • | • | • | • |
| 83-01 | Air Conditioner Inspecting | | | • | • | • |

Initial Maintenance (IM) Operations: 00-06

IMPORTANT: After performing all operations listed in this table, perform all daily, weekly, and monthly maintenance operations listed in the "Pretrip and Post-Trip Inspections and Maintenance" chapter of the vehicle driver's manual.

NOTE: Numbers in this table are reference numbers matching those in the text of this manual.

Initial Maintenance (IM) Operations for Service Schedules I, II, and III

| | Initial Maintenance (IM) Operations for Service Schedules I, II, and III | | | |
|---------------------------------|-------------------------------------------------------------------------------------------|-------|--|--|
| Maintenance Operation Number | Operation Description | Check | | |
| 00–07 | Perform all MI Operations | | | |
| 15–01 | Alternator, Battery, and Starter Checking | | | |
| 26-06 | Manual Transmission Magnetic Plug Cleaning, Oil Changing, and Oil Filter Element Changing | | | |
| 31–03 | Frame Fastener Torque Checking | | | |
| 32–03 | Suspension U-bolt Torque Checking | | | |
| 33–03 | All-Axle Alignment Checking | | | |
| 35–02 | Axle Lubricant Changing, Oil Filter Replacing, and Magnetic Strainer Cleaning | | | |
| 54–01 | Electrical System Checking | | | |

M1 Maintenance Interval Operations Table: 00-07

The M1 Maintenance Interval Operations table lists all maintenance operations that are to be performed at the M1 maintenance interval. Maintenance operation numbers are reference numbers used to help you find detailed instructions in this manual on the maintenance operations to be performed.

IMPORTANT: After performing all operations listed in this table, perform all daily, weekly, and monthly maintenance operations listed in the "Pretrip and Post-Trip Inspections and Maintenance" chapter of the vehicle driver's manual.

M1 Maintenance Interval Operations for Service Schedules I, II, and III

| M1 Maintenance Interval Operations for Service Schedules I, II, and III | | | |
|-------------------------------------------------------------------------|-----------------------------------------------------------------------|-------|--|
| Maintenance Operation Number | Operation Description | Check | |
| 00–04 | Lubrication and Fluid Level Check (includes the following) | | |
| | Clutch Release Bearing Lubricating | | |
| | Clutch Release Cross-Shaft Lubricating | | |
| | Clutch Linkage Components Lubricating | | |
| | Shift Control Telescoping Tubes Lubricating and Inspecting, FLA/FLB | | |
| | Shift Control Latch Lubricating and Cylinder Inspecting, FLA/FLB | | |
| | Selection Lever and Pivot Rod Ball Stud Lubricating, FLA/FLB | | |
| | Transmission Oil Level Checking and Breather Checking | | |
| | Fifth Wheel Lubricating | | |
| | Trailer Electrical Connector Lubricating | | |
| | Suspension Lubricating, Front and Rear | | |
| | Knuckle Pin Lubricating | | |
| | Tie-Rod End Inspecting and Lubricating | | |
| | Axle Breather and Lubricant Level Checking | | |
| | Driveline Lubricating | | |
| | Manual/Automatic Slack Adjuster Lubricating and Checking (All Models) | | |
| | Steering Driveline Lubricating | | |
| | Ross Manual Steering Gear Lubricant Checking, Model 503 | | |
| | Drag Link and Power Steering Cylinder Lubricating | | |
| | Power Steering Reservoir Fluid Level Checking | | |
| | Ross Power Steering Gear Lubricating, TAS Series | | |
| | Sheppard Power Steering Gear Bearing Cap Lubricating | | |
| | Cab-Tilt System Checking, FLA/FLB | | |
| | Door Seal, Door Latch, and Door Hinge Lubricating | | |
| 13–01 | Bendix Air Compressor Inspecting | | |
| 31–01 | Fifth Wheel Inspecting | | |
| 32–01 | Suspension Inspecting | | |
| 41–01 | Driveline Inspecting | | |
| 42-01 | Brake Adjusting—Cam Brakes With Manual Slack Adjusters | | |

M1 Maintenance Interval Operations Table: 00-07

| M1 Maintenance Interval Operations for Service Schedules I, II, and III | | | |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------|--|
| Maintenance Operation Number | Operation Description | Check | |
| 42–05 | Wedge Brake Checking | | |
| 42–11 | Bendix Air Dryer or Anchorlok Aftercooler Inspecting (Bendix AD-2, AD-4, AD-9, or Anchorlok) | | |
| 42–14 | CR Brakemaster Air Dryer Cleaning (Model 62 or 68) | | |
| 42–22 | Midland Quick Release and Flipper Valve Checking | | |
| 42–24 | Brake Inspection | | |
| 47–02 | Fuel Tank Band Nut Tightening, FLA, FLB, and FLD | | |
| 60-03 | Cab Latch Checking, FLA/FLB | | |
| 49–01 | Exhaust System Inspecting | | |

M2 Maintenance Interval Operations Table: 00-08

The M2 Maintenance Interval Operations table lists all maintenance operations that are to be performed at the M2 maintenance interval. Maintenance operation numbers are reference numbers used to help you find detailed instructions in this manual on the maintenance operations to be performed. Perform all M1 maintenance interval operations at the M2 maintenance interval.

NOTE: Maintenance operations appearing in italics in this table are for noise emission control components. Numbers in this table are reference numbers matching those in the text of this manual.

M2 Maintenance Interval Operations for Service Schedules I, II, and III

| Maintenance Operation Number | Operation Description | Check |
|---------------------------------|----------------------------------------------------------------------------------------------------------------|-------|
| 00-07 | Perform all M1 Operations | |
| 01–03 | Jacobs Engine Brake Wiring Inspecting | |
| 20–01 | Radiator Cap Checking | |
| 20-03 | Fan Drive and Clutch Checking | |
| 26-06 | Manual Transmission Magnetic Plug Cleaning, Oil Changing, and Oil Filter Element Changing | |
| 26–07 | Transmission Air Filter/Regulator Checking, and Cleaning or Replacing | |
| 31–04 | Holland Fifth Wheel Sliding Mechanism Inspecting | |
| 40–01 | Wheel Nut and Rim Nut Checking | |
| 42-02 | Camshaft Bracket Bushing Lubricating | |
| 42-04 | Meritor Automatic Slack Adjuster Inspecting | |
| 42–07 | Alcohol Evaporator Checking | |
| 42–08 | Bendix Alcohol Evaporator Cleaning | |
| 42–15 | Anchorlok Aftercooler Automatic Ejector Valve Clearing | |
| 42–18 | Bendix Air Brake Valve Disassembly, Cleaning, Inspecting, and Lubricating (DV-2, PP-3, and Single Check Valve) | |
| 42–21 | Sealco Moisture Ejection Valve Operation- and Leak-Testing (Model 6300) | |
| 46–06 | Power Steering Reservoir Fluid and Filter Changing | |
| 46-07 | Steering Driveline Deck Bearing Lubricating, FLA/FLB | |
| 47–01 | Fuel Tank Vent Checking | |
| 47–03 | Fuel Separator Sight Bowl Cleaning and Element Replacing | |
| 60–02 | Cab-Suspension Spring Center-Bolt Torque Checking, FLC | |
| 83–01 | Air Conditioner Inspecting | |

M3 Maintenance Interval Operations Table: 00-09

The M3 Maintenance Interval Operations table lists all maintenance operations that are to be performed at the M3 maintenance interval. Maintenance operation numbers are reference numbers used to help you find detailed instructions in this manual on the maintenance operations to be performed. Perform all maintenance interval operations in M1 and M2 when performing M3 maintenance interval operations.

NOTE: Maintenance operations appearing in italics in this table are for noise emission control components. Numbers in this table are reference numbers matching those in the text of this manual.

M3 Maintenance Interval Operations for Service Schedules I, II, and III

| M3 Maintenance Interval Operations for Service Schedules I, II, and III | | | |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--|
| Maintenance Operation Number | Operation Description | Check | |
| 00-07 | Perform all MI Operations | | |
| 00-08 | Perform all M2 Operations | | |
| 01–01 | Engine Rear-Support Assembly Checking | | |
| 01–02 | Engine Noise Panel Inspecting | | |
| 01-04 | Engine Drive Belt Inspecting | | |
| 09–01 | Air Cleaner Element Inspecting and Replacing | | |
| 15–01 | Alternator, Battery, and Starter Checking | | |
| 26-03 | Shift Lever Pivot Yokes Inspecting, FLA/FLB | | |
| 32–03 | Suspension U-Bolt Torque Checking | | |
| 35–02 | Axle Lubricant Changing, Oil Filter Replacing, and Magnetic Strainer Cleaning | | |
| 42–06 | Wedge Brake Inspecting and Lubricating | | |
| 42-09 | Bendix Alcohol Evaporator Gasket Replacing | | |
| 42–10 | Bendix Air Dryer Checking (AD-2, AD-4, or AD-9) | | |
| 42–16 | Bendix Air Brake Valve Operation Checking (BP-R1 and E-12) | | |
| 42–17 | Bendix Air Brake Valve Disassembly, Cleaning, and Inspecting (BP-1, Double Check Valve, E-6, PP-7, QR-1, R-6, R-14, SR-1, ST-3, TC-7, TP-5, and TR-3) | | |
| 42–19 | Bendix Air Brake Valve Inspecting and Testing (BP-1, BP-R1, LQ-5, PP-7, R-14 and TC-7) | | |
| 42–20 | Bendix Foot Brake Valve Actuator Lubricating (E–6 or E–12) and Leak-Testing (E–12) | | |
| 46–03 | Ross Manual Steering Gear Lubricant Changing, Model 503 | | |
| 54–01 | Electrical System Checking | | |
| 54-02 | Speedometer/Tachometer Cable Lubricating | | |

Thanks for your reading.

Please click here to download complete manual instantly.

And can also choose other manuals.

Feel free --->write to me with any questions.

Our service email:

manuals007@hotmail.com