Model Z35 GEN:2

Compact Excavator

Serial Numbers 00701 and Up



GEHL®

Form No. 50940133 Revision C Oct. 2013

Parts Manual

INTRODUCTION

General

- MANITOU AMERICAS, INC. reserves the right to make changes or improvements in the design or construction of any part of the machine without incurring the obligation to install such changes on any previously delivered machines.
- This parts manual should not be used as a technical data reference; it uses simplified illustrations and does not detail servicing procedures.
- Internal engine components not shown in this manual are contained in a separate engine parts manual. The engine parts manual is contained in the documentation packet shipped with the machine, and is also available separately. Contact your dealer with any documentation requests.

Parts Ordering Information

- When ordering service parts, specify the correct part number, full description and quantity required, as well as the machine and engine model and serial numbers. For your safety and continued proper operation, use only genuine GEHL service parts.
- "Right", "left", "front" and "back" are determined from a position sitting on the operator's seat and facing forward, and the excavator "house" rotated so that the blade is also facing forward.

Model and Serial Number Record

Excavator Model Number	
Excavator Serial Number	
Engine Serial Number	

Torque Charts

Standard attaching hardware torque values are provided on the inside back cover, and some torque values may be shown in illustrations. Metric torque values are shown in Newton-meters, and are converted to foot-pounds by multiplying by 0.738.

Illustrations and Parts Lists

- Not all parts shown in the illustrations may be included in the parts listings; some are not serviced separately or are not included on engines sold in all areas.
- Ref. Nos. shown in the parts listings without part numbers are shown for reference purposes only and are not available for purchase.
- Boxes or brackets may be used in some illustrations to indicate assemblies (part groupings), or in some cases to highlight different versions of individual parts or assemblies.
- Text references may be present on some illustrations to provide additional information.
- Some illustrations will contain circled letters or a circled combination of letters and numbers in addition to the regular number callouts. These special callouts may be used to identify hydraulic port locations which are marked on components, or to identify the two ends of a hose, tube, or other part that is shown split in the illustration. They may also be used to indicate a common reference point when different versions of components are shown on the illustration.

Serial Number Locations and Information

Locations

- Product Identification Plate Located at the lower right front of the machine on the turning frame. There are four items shown on the plate:
 - 1) Model = machine model number
 - 2) Machine No. = machine serial number
 - 3) Engine No. = engine serial number

4) Product Identification Number = a sequence starting with YMR plus the machine model number, and ending with the five digit machine serial number. The additional characters in-between provide information about specific machine configuration.

INTRODUCTION

NOTE: The engine serial number is shown on this plate for ease of access. It is also shown on a serial plate located on the engine cylinder head cover.

• ROPS /FOPS Serial Plate - Located on a crossmember on the inside of the canopy roof, if equipped. There are four items shown on the plate:

1) Machine Model = models that this structure is rated for, may be more than one model

2) ROPS/FOPS part number

3) ROPS/FOPS Serial Number

4) Max. Gross Machine Weight

- TOPS/FOPS Serial Plate Located inside the cabin on a support post behind the operator seat at the left side, if equipped. There are four items shown on the plate:
 - 1) TOPS/FOPS part number
 - 2) TOPS/FOPS Serial Number

3) Machine Model = models that this structure is rated for, may be more than one model

4) Max. Gross Machine Weight

NOTE: ROPS = Roll Over Protective Structure, TOPS = Tip Over Protective Structure, FOPS = Falling Object Protective Structure

Additional Serial Number Information

Parts changes are often defined by serial numbers, and less often by date codes.

- Serial numbers as shown in the parts manual may have prefixes M (machine) or E (engine) preceding the serial number shown on the identification tag.
- (From 1st SN) indicates that the part can be used on all machines from 1st serial number to present.
- "XXXXX" and "ZZZZZ" are used in the SN sequence instead of numbers for parts that have changed, but where the serial number for the change is not known.
- In some cases, a date code is used instead of a serial number, and is displayed in the YYYY.MM format. Months will be displayed as .01-.12. For example, 2012.02 would be the second month (February) of 2012.

Reference Number Sequencing in Parts Lists

NOTE: Reference numbers in the illustrations and parts listings may include sequencing variations of hyphens (-) and/or letters.

FOR EXAMPLE (Ref. Nos.):

5 = Original version/configuration of a part or assembly

5-1, 5-2, etc. = The hyphen (-) indicates an updated version/configuration of Ref. No. 5, and should have an associated serial number. The highest numbered version is the latest. If a hyphenated version is shown in the parts listing, but only the non-hyphenated versions are visually similar. Multiple versions may be shown in the illustration, to identify changes.

5A, 5B, etc. = These parts do not replace Ref. Nos. 5 or 5-1, they are added components and may have an associated serial number.

5-1A, 5-1B, etc. = These are added components and may have an associated serial number.

NOTE: There may be a Ref. No. 5A without an associated Ref. No. 5 in the list. In that example, Ref. No. 5A is a newly added part and may have an associated serial number and also an additional note or remark.

INTRODUCTION

Unless otherwise specified, all cap screws, nuts, and bolts are Grade 8.8, cadmium or zinc plated.

NOTE: The following abbreviations may be used herein:

		•••
ASSD	Assembled	W/O
ASSY	Assembly	
A/C	Air Conditioning	
A/D	Auto-Deceleration	
AR	As Required	
СВ	Carriage Bolt	
СР	Cotter Pin	
CS	Cap Screw (Hexagon Head)	
C/V	Control Valve	
CYL	Cylinder	
DIA	Diameter	
ESS	Engine Speed Sensing	
FHCS	Flat Head Cap Screw	
FOPS	Falling Object Protective	
Structure		
G	Grams	
GR		
HB	Hex Bolt	
HLN	Hex Lock Nut	
HN	Hex Nut	
НР	High Pressure	
HYD	Hydraulic	
INS	Insert	
LN	Lock Nut	
LT	Left	
LW		
M	Meter or Meters	
MM/mm	Millimeter	
N/A	Not Available, Not Applicable	
NPT	National Pipe Thread	
OS	Oversized	
РТО	Power Take-Off	
ROPS	Roll Over Protective Structure	
RT	Right	
SHCS	Socket Head Cap Screw	
SLTD	Slotted	
SN	Serial Number or Slotted Nut	
	Gahl [®] is a registered trademy	ark of Manitou Am

SQ	Square
TOPS	. Tip Over Protective Structure
US	. Undersized
W/	.With
W/O	Without

TABLE OF CONTENTS

Introduction	i 🛛 I
Compact Excavator	1
Special Tools, Paint	
Figure Index (1) - Main Parts	2 1
Figure Index (2) - Hydraulic Section.	
Fig. 1 - Label (Exterior)	
Fig. 3 - Label (Bonnet Inside)	
Fig. 4 - Label (Canopy)	
Fig. 6 - Label (Cabin)	
Fig. 8 - Label (Quick Coupler)	
Fig. 9 - Case (Tool)	
Fig. 10 - Muffler	
Fig. 11 - Air Cleaner	
Fig. 12 - Accelerator	
Fig. 13 - Engine Mount	
Fig. 14 - Radiator Shroud	
Fig. 15 - Radiator and Oil Cooler	
Fig. 16 - Duct	
Fig. 17 - Fuel Tank	
Fig. 18 - Fuel Line	
Fig. 19 - Battery	
Fig. 20 - Electric (Around Engine)	
Fig. 21 - Electric (Horn)	
Fig. 22 - Electric (Field)	
Fig. 23 - Electric (Guide, Harness)	
-	
Fig. 24 - Electric (Starter)	
Fig. 25 - Electric (A/D)	
Fig. 26 - Electric (Back-Up Alarm)	
Fig. 27 - Electric (Quick Coupler:Swit	
Box)	
Fig. 28 - Electric (Canopy Lamp)	
Fig. 29 - Electric (Work Lamp)	
Fig. 30 - Electric (Instrument Panel)	.56 I
Fig. 31 - Electric (ESS) (with A/C	50
only)	
Fig. 32 - Electric (Heater) (Cabin)	.60 I
Fig. 33 - Electric (Control Bracket)	
(Cabin)	.62 1
Fig. 34 - Air Conditioner (Electric)	
(Cabin)	.64 1
Fig. 35 - Air Conditioner (Unit)	l
(Cabin)	.66 I
Fig. 36 - Air Conditioner (Piping)	1
(Cabin)	
Fig. 37 - Air Conditioner (Engine Rela	· · · · · · · · · · · · · · · · · · ·
(Cabin)	.70 l

\mathbf{F} 20 \mathbf{A} 1% (C 1)	
Fig. 38 - Air conditioner (Condenser)	
(Cabin)	72
Fig. 39 - Heater (Unit) (Cabin)	74
Fig. 40 - Heater (Piping) (Cabin)	76
Fig. 41 - Duct (A/C, Heater) (Cabin).	
Fig. 42 - Sprocket	
Fig. 43 - Idler & Adjust	
Fig. 44 - Track Roller	
Fig. 45 - Carrier Roller	
Fig. 46 - Crawler	
Fig. 47 - Mount (Valve)	
Fig. 48 - Control Equipment (Travel	
Lever)	92
Fig. 49 - Control Equipment (Swing	
Pedal)	94
Fig. 50 - Control Equipment (Pedal	
	06
Cover)	90
Fig. 51 - Control Equipment (Blade	
Lever)	98
Fig. 52 - Control Equipment (Arm	
Rest)	100
Fig. 53 - Control Equipment (Lock L	ever
& Stand)	
Fig. 54 - Track Frame	
Fig. 55 - Counterweight	
Fig. 56 - Turning Frame	
Fig. 57 - Turning Bearing	
Fig. 58 - Cover (Multi)	
Fig. 60 - Cover (Upper)	
Fig. 61 - Cover (Turning Frame)	
Fig. 62 - Cover (Track Frame)	118
Fig. 63 - Guard (Frame)	120
Fig. 64 - Cover (Frame Front)	
Fig. 65 - Step (Cabin)	
Fig. 66 - Step (Canopy)	
Fig. 67 - Cover (Lever)	
Fig. 68 - Cover (Monitor) Canopy	
Fig. 69 - Cover (Monitor) Cabin	
Fig. 70 - Seat Mount	
Fig. 71 - Seat Mount (Cover)	136
Fig. 72 - Seat	138
Fig. 73 - Seat (Inner Parts)	
Fig. 74 - Handrail (Canopy)	
Fig. 75 - Bonnet (Rear)	
Fig. 77 - Bonnet (Front)	
Fig. 78 - Bonnet (Left)	
Fig. 80 - Bonnet (Right)	150

Thanks for your reading.

Please click here to download complete manual instantly.

And can also choose other manuals.

Feel free --->write to me with any questions. Our service email: manuals007@hotmail.com